



# THOMAS P. KIRWIN, CPA, PC

## *Certified Public Accountant*

---

Williamsburg Park • 170 Main Street • Ste 111 • Tewksbury, MA 01876  
Telephone: (978) 851-8111 • Fax: (978) 851-4319 • Email: Tom@TPKAdvisors.com

### System Review Report

November 19, 2009

To the Partners of  
Sharkansky LLP  
and the Peer Review Committee of the  
Massachusetts Society of CPAs

I have reviewed the system of quality control for the accounting and auditing practice of Sharkansky LLP (the firm) in effect for the year ended May 31, 2009. My peer review was conducted in accordance with the Standards for Performing and Reporting on Peer Reviews established by the Peer Review Board of the American Institute of Certified Public Accountants. The firm is responsible for designing a system of quality control and complying with it to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. My responsibility is to express an opinion on the design of the system of quality control and the firm's compliance therewith based on my review. The nature, objectives, scope, limitations of, and the procedures performed in a System Review are described in the standards at [www.aicpa.org/prsummary](http://www.aicpa.org/prsummary).

As required by the standards, engagements selected for review included engagements performed under the *Government Auditing Standards* and audits of employee benefit plans.

In my opinion, the system of quality control for the accounting and auditing practice of Sharkansky LLP in effect for the year ended May 31, 2009, has been suitably designed and complied with to provide the firm with reasonable assurance of performing and reporting in conformity with applicable professional standards in all material respects. Firms can receive a rating of *pass*, *pass with deficiency(ies)* or *fail*. Sharkansky LLP has received a peer review rating of *pass*.

Thomas P. Kirwin, CPA, PC

Thomas P. Kirwin, CPA

Thomas P. Kirwin, CPA, PC